ANALIZA BIAŁEK

Scan for verify

100015632

Laboratory of Analysis

Client: Peplabs
Order number: 100015632
Name: PEPLABS DSIP
Number of samples: 1 vial

Batch number: ------
Receive date: 2026-06-23
Start date: 2026-06-26
End date: 2026-07-01

Sample identification

Substance	Method of taking a sample	Form
DSIP	Sample provided by customer	White powder in a glass vial

Results

Test	Sample name	Result
TYMC	PEPLABS DSIP 5MG	PASS
TAMC	PEPLABS DSIP 5MG	PASS
Presence of presumptive Escherichia Coli	PEPLABS DSIP 5MG	NOT DETECTED
Presence of Salmonella Spp.	PEPLABS DSIP 5MG	NOT DETECTED

Heavy metal	Sample name	Result
Arsenic	PEPLABS DSIP 5MG	<0,010mg/kg
Cadmium	PEPLABS DSIP 5MG	0,087mg/kg
Lead	PEPLABS DSIP 5MG	0,269mg/kg
Mercury	PEPLABS DSIP 5MG	<0,010mg/kg

Password

FA0F0L8S

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając