ANALIZA BIAŁEK

Scan for verify

100015624

Laboratory of Analysis

Client: Peplabs
Order number: 100015624
Name: PEPLABS KLOW
Number of samples: 1 vial

Batch number: ------
Receive date: 2026-06-23
Start date: 2026-06-26
End date: 2026-07-01

Sample identification

Substance	Method of taking a sample	Form
------	Sample provided by customer	Blue powder in glass vial

Results

Test	Sample name	Result
TYMC	PEPLABS KLOW 80MG	PASS
TAMC	PEPLABS KLOW 80MG	PASS
Presence of presumptive Escherichia Coli	PEPLABS KLOW 80MG	NOT DETECTED
Presence of Salmonella Spp.	PEPLABS KLOW 80MG	NOT DETECTED

Heavy metal	Sample name	Result
Arsenic	PEPLABS KLOW 80MG	<0,010mg/kg
Cadmium	PEPLABS KLOW 80MG	0,110mg/kg
Lead	PEPLABS KLOW 80MG	0,341mg/kg
Mercury	PEPLABS KLOW 80MG	<0,010mg/kg

Password

MUWVVE2E

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając