ANALIZA BIAŁEK

Scan for verify

100015647

Laboratory of Analysis

Client: Peplabs
Order number: 100015647
Name: PEPLABS MOTS-C
Number of samples: 1 vial

Batch number: ------
Receive date: 2026-06-23
Start date: 2026-06-26
End date: 2026-07-01

Sample identification

Substance	Method of taking a sample	Form
MOTS-c	Sample provided by customer	White powder in a glass vial

Results

Test	Sample name	Result
TYMC	PEPLABS MOTS-C 40MG	PASS
TAMC	PEPLABS MOTS-C 40MG	PASS
Presence of presumptive Escherichia Coli	PEPLABS MOTS-C 40MG	NOT DETECTED
Presence of Salmonella Spp.	PEPLABS MOTS-C 40MG	NOT DETECTED

Heavy metal	Sample name	Result
Arsenic	PEPLABS MOTS-C 40MG	<0,010mg/kg
Cadmium	PEPLABS MOTS-C 40MG	0,098mg/kg
Lead	PEPLABS MOTS-C 40MG	0,311mg/kg
Mercury	PEPLABS MOTS-C 40MG	<0,010mg/kg

Password

DJ34RA8Q

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając