ANALIZA BIAŁEK

Scan for verify

100015622

Laboratory of Analysis

Client: Peplabs
Order number: 100015622
Name: PEPLABS SEMAX
Number of samples: 1 vial

Batch number: ------
Receive date: 2026-06-23
Start date: 2026-06-26
End date: 2026-07-01

Sample identification

Substance	Method of taking a sample	Form
Semax	Sample provided by customer	White powder in a glass vial

Results

Test	Sample name	Result
TYMC	PEPLABS SEMAX 10MG	PASS
TAMC	PEPLABS SEMAX 10MG	PASS
Presence of presumptive Escherichia Coli	PEPLABS SEMAX 10MG	NOT DETECTED
Presence of Salmonella Spp.	PEPLABS SEMAX 10MG	NOT DETECTED

Heavy metal	Sample name	Result
Arsenic	PEPLABS SEMAX 10MG	<0,010mg/kg
Cadmium	PEPLABS SEMAX 10MG	0,092mg/kg
Lead	PEPLABS SEMAX 10MG	0,334mg/kg
Mercury	PEPLABS SEMAX 10MG	<0,010mg/kg

Password

L9N2B32N

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając